

OSHA Citation Tracking
Total Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
NCTAMS LANT DET Cutler, ME	63038	10/17/2002	Complaint	Serious	1910.146(c)(4)	Confined spaces - If the employer decides that its employees will enter permit spaces, the employer shall develop and implement a written permit space entry program that complies with this section. The written program shall be available for inspection by employees and their authorized representatives.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	12/6/2002	\$7,000
Naval AviationNaval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1200(h)(3)	HAZCOM training shall include the measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	6/11/2003	\$7,000

OSHA Citation Tracking
Total Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Naval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1200(e)(2)	HAZCOM for multi-employer workplaces. Employers who produce, use, or store hazardous chemicals at a workplace in such a way that the employees of other employer(s) may be exposed (for example, employees of a construction contractor working onsite) shall additionally ensure that the hazard communication programs developed and implemented under this paragraph (e) include the following: The methods the employer will use to provide the other employer(s) on-site access to material safety data sheets for each hazardous chemical the other employer(s) employees may be exposed to while working; The methods the employer will use to inform the other employer(s) of any precautionary measures that need to be taken to protect employees during the workplace's normal operating conditions and in foreseeable emergencies; and, The methods the employer will use to inform the other employer(s) of the labeling system used in the workplace.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	5/29/2003	\$7,000
Naval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1001(k)(6)	Asbestos waste disposal. Waste, scrap, debris, bags, containers, equipment, and clothing contaminated with asbestos consigned for disposal, shall be collected, recycled and disposed of in sealed impermeable bags, or other closed, impermeable containers.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 17 Asbestos Control	5/29/2003	\$7,000
Naval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Other	1910.1001(d)(1)	Asbestos exposure monitoring. Determinations of employee exposure shall be made from breathing zone air samples that are representative of the 8-hour TWA and 30-minute short-term exposures of each employee.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 17 Asbestos Control	6/18/2003	\$7,000

OSHA Citation Tracking
Total Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Naval Station, Ingleside, TX	68891	4/2/2003	Related Act	Serious	1910.146(k)(2)(ii)	Confined spaces. Employers shall train affected employees to perform assigned rescue duties. The employer must ensure that such employees successfully complete the training required to establish proficiency as an authorized entrant, as provided by paragraphs (g) and (h) of this section.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	6/5/2003	\$7,000
Naval Station, Ingleside, TX	68891	4/2/2003	Related Act	Serious	1910.146(k)(2)(iv)	Confined spaces. Ensure that affected employees practice making permit space rescues at least once every 12 months, by means of simulated rescue operations in which they remove dummies, manikins, or actual persons from the actual permit spaces or from representative permit spaces. Representative permit spaces shall, with respect to opening size, configuration, and accessibility, simulate the types of permit spaces from which rescue is to be performed.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	6/5/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.213(h)(4)	Radial Saws. Installation shall be in such a manner that the front end of the unit will be slightly higher than the rear, so as to cause the cutting head to return gently to the starting position when released by the operator.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/18/2003	\$7,000

OSHA Citation Tracking
Total Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.305(b)(1)	Electrical cabinets, boxes, and fittings - Conductors entering boxes, cabinets, or fittings. Conductors entering boxes, cabinets, or fittings shall also be protected from abrasion, and openings through which conductors enter shall be effectively closed. Unused openings in cabinets, boxes, and fittings shall be effectively closed.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/18/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.106(d)(5)	Emergency egress. Flammable or combustible liquids, including stock for sale, shall not be stored so as to limit use of exits, stairways, or areas normally used for the safe egress of people.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 5 Prevention and Control of Workplace Hazards	7/3/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Other	1910.1200(g)(8)	HAZCOM. The employer shall maintain in the workplace copies of the required material safety data sheets for each hazardous chemical, and shall ensure that they are readily accessible during each work shift to employees when they are in their work area(s). (Electronic access, microfiche, and other alternatives to maintaining paper copies of the material safety data sheets are permitted as long as no barriers to immediate employee access in each workplace are created by such options.)	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	7/7/2003	\$7,000
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Serious	1910.23(c)(1)	Floor openings and holes. Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides.	OPNAVINST 5100.23F Chapter 11 Basic Requirements	6/16/2003	\$7,000

OSHA Citation Tracking
Total Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Other	1910.26(c)(2)	Ladders having defects are to be marked and taken out of service until repaired by either maintenance department or the manufacturer.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/16/2003	\$7,000
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Other	1910.303(g)(1)	Electrical. Working space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/16/2003	\$7,000
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Other	1910.334(a)(2)(i)	Electrical. Portable cord and plug connected equipment and flexible cord sets (extension cords) shall be visually inspected before use on any shift for external defects (such as loose parts, deformed and missing pins, or damage to outer jacket or insulation) and for evidence of possible internal damage (such as pinched or crushed outer jacket). Cord and plug connected equipment and flexible cord sets (extension cords) which remain connected once they are put in place and are not exposed to damage need not be visually inspected until they are relocated.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/16/2003	\$7,000
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Other	1910.334(a)(2)(ii)	Electrical equipment. If there is a defect or evidence of damage that might expose an employee to injury, the defective or damaged item shall be removed from service, and no employee may use it until repairs and tests necessary to render the equipment safe have been made.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/16/2003	\$7,000

Note:

The abatement date is established by the OSHA area office. The period of time to abate a hazard is the shortest interval that an employer can reasonably be expected to correct the violation.

The OSHA Act authorizes civil penalties be assessed for each alleged violation. Most Federal agencies are exempt from these fines. Penalties are based on four factors: 1) the gravity of the violation; 2) the size of the business; 3) the good faith of the employer; 4) the employer's history of previous violations.