

OSHA Citations
Serious Violations FY 2005

Installation	UIC	Open Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Max Private Sector Penalty
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Serious	1910.212(a)(1)	Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/1/2004	\$7,000
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Serious	1910.212(a)(3)(ii)	Guarding machinery. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards, in the absence of applicable specific standards shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/1/2004	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.305(e)(1)	Electrical Equipment. Cabinets, cutout boxes, fittings, boxes, and panelboard enclosures in damp or wet locations shall be installed so as to prevent moisture or water from entering and accumulating within the enclosures. In wet locations the enclosures shall be weatherproof.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/6/2004	\$7,000

OSHA Citations
Serious Violations FY 2005

Naval Facilities Engineering Command, Great Lakes Naval Base Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(a)(1)	Deenergized parts. Live parts to which an employee may be exposed shall be deenergized before the employee works on or near them, unless the employer can demonstrate that deenergizing introduces additional or increased hazards or is infeasible due to equipment design or operational limitations. Live parts that operate at less than 50 volts to ground need not be deenergized if there will be no increased exposure to electrical burns or to explosion due to electric arcs.	OPNAVINST 5100.23G Chapter 24, Energy Control Program Lockout/Tagout	12/6/2004	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(a)(2)	Energized parts. If the exposed live parts are not deenergized (i.e., for reasons of increased or additional hazards or infeasibility), other safety-related work practices shall be used to protect employees who may be exposed to the electrical hazards.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/6/2004	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(b)(2)	Lockout and Tagout. While any employee is exposed to contact with parts of fixed electric equipment or circuits which have been deenergized, the circuits energizing the parts shall be locked out or tagged, or both.	OPNAVINST 5100.23G Chapter 24, Energy Control Program Lockout/Tagout	12/6/2004	\$7,000
Naval Base Ventura County Ventura, CA 93042	09296	11/2/2004	Planned	Serious	1910.23 c (1)	Guarding openings and holes. Every open sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/9/2004	\$7,000

OSHA Citations
Serious Violations FY 2005

Naval Public Work Center, Bldg 678, San Diego, San Diego, CA 92135	00245	12/9/2004	Planned	Serious	1926.100(a)	Head protection: Employees working in areas where there is a possible danger of head injury from impact, or from falling or flying objects, or from electrical shock and burns, shall be protected by protective helmets.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 20. Personal Protective Equipment.	1/27/2005	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL 32228	60201	1/5/2005	Planned	Serious	1960.8(a)	The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/19/2005	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL 32228	60201	1/5/2005	Planned	Serious	1910.180(h)(4)(i)	Mobile Cranes - Holding the load. The operator shall not be permitted to leave his position at the controls while the load is suspended.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 31. Weight Handling Safety	4/19/2005	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL	60201	1/5/2005	Planned	Serious	1910.184(f)(5)(vi)	Slings - Removal from service. Wire rope slings shall be immediately removed from service when there is corrosion of the rope or end attachments.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 31. Weight Handling Safety	4/19/2005	\$7,000
Fleet Industrial Supply Center, Bldg 773, Lemoore, CA 93246	44280	1/25/2005	Planned	Serious	1960.8(a)	Workplace hazards. The head of each agency shall furnish to each employee a place of employment free from recognized hazards that are causing or are likely to cause death or serious physical harm.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	3/4/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1025(l)(1)(i)	Training Program. Each employer who has a workplace in which there is a potential exposure to airborne lead at any level shall inform employees of the content of Appendices A and B of this regulation.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards; Chapter 21. Lead	8/5/2005	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1027(m)(4)(i)	Employee information and training. The employer shall institute a training program for all employees who are potentially exposed to cadmium, assure employee participation in the program, and maintain a record of the contents of such program.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/5/2005	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(e)(1)	Written Hazard Communication Program. Employers shall develop, implement, and maintain at each workplace, a written hazard communication program which at least describes how the criteria specified in paragraphs (f), (g), and (h) of this section for labels and other forms of warning, material safety data sheets, and employee information and training will be met.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazard Material Control and Management	8/5/2005	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(g)(1)	Material Safety Data Sheets. Chemical manufacturers and importers shall obtain or develop a material safety data sheet for each hazardous chemical they produce or import. Employers shall have a material safety data sheet in the workplace for each hazardous chemical which they use.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazard Material Control and Management	8/5/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(h)(1)	Employee information and training. Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new physical or health hazard the employees have not previously been trained about is introduced into their work area. Information and training may be designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must always be available through labels and material safety data sheets.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 6. Training; Chapter 7. Hazardous Material Control and Management	8/5/2005	\$7,000
Fleet Industrial Supply Center, Bldg 773, Lemoore, CA 93246	46256	3/22/2005	Planned	Serious	1910.151c	Eyewash Station. Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/28/2005	\$7,000
Naval Facilities Engineering Command, Pearl Harbor, HI 96860	62755	5/11/2005	Planned	Serious	1910.212(a)(3)(ii)	Machine guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/30/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Pre-Planned	Serious	1910.303(b)(2)	Electrical installation and use. Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/6/2005	\$7,000
Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Planned	Serious	1910.101(b)	Compressed gases. The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/23/2005	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1960.8(a)	Agency responsibilities. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/30/2005	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1910.178(m)(6)	Powered Industrial Trucks. A safe distance shall be maintained from the edge of ramps or platforms while on any elevated dock, or platform or freight car. Trucks shall not be used for opening or closing freight doors.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/12/2005	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1910.243(c)(1)	Guarding of portable powered tools. General requirements. Abrasive wheels shall be used only on machine provided with safety guards as defined in paragraph (c) (1) through (4) of this section.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	6/30/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1960.8(a)	Agency Responsibility. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm. Ethyl benzene, n-butyl alcohol, trimethylbenzene, xylene, methyl ethyl ketone.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazardous Material Control and Management	1/3/2006	\$7,000
Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1915.12(e)(1)(iii)	Confined spaces in shipyards. Shipyard rescue teams shall practice their skills at least once every 12 months. Practice drills shall include the use of mannequins and rescue equipment during simulated rescue operations involving physical facilities that approximate closely those facilities from which rescue may be needed.	OPNAVINST 5100.19D, Navy Occupational Safety and Health (NAVOSH) Program Manual for Forces Afloat	1/3/2006	\$7,000
Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1960(8)(a)	Agency Responsibility - The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm. Heat Stress.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards.	1/17/2006	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.141(a)(3)(ii)	Housekeeping. The floor of every workroom shall be maintained, so far as practicable, in a dry condition. Where wet processes are used, drainage shall be maintained and false floors, platforms, mats, or other dry standing places shall be provided, where practicable, or appropriate waterproof footwear shall be provided.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/15/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(l)(1)(i)	Powered Industrial Trucks. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation specified in this paragraph (l).	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/12/2005	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/12/2005	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(l)(4)(iii)	Powered Industrial Trucks. An evaluation of each powered industrial truck operator's performance shall be conducted at least once every three years.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/12/2005	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.303(b)(2)	Electrical installation and use. Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/15/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.303(g)(2)(i)	Guarding of live parts. Except as required or permitted elsewhere in this subpart, live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by approved cabinets or other forms of approved enclosures.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/28/2005	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.305(g)(1)(iii)(a)	Use of flexible cords and cables. Unless specifically permitted in paragraph (g)(1)(i) of this section, flexible cords and cables may not be used as a substitute for the fixed wiring of a structure.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/28/2005	\$7,000
Dept. of Navy, (MWR), Pearl Harbor, Honolulu, HI 96818	62813	7/19/2005	Planned	Serious	1910.178(l)(1)(i)	Powered Industrial Trucks. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/20/2005	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	61019	7/19/2005	Planned	Serious	1910.212(a)(1)	Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/21/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(a)(4)	Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/30/2005	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(b)(9)	Machine guarding. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/21/2005	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(d)(3)	Maching guarding. All contact surfaces of wheels, blotters and flanges shall be flat and free of foreign matter.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/21/2005	\$7,000

OSHA Citations
Serious Violations FY 2005

NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.1200(g)(11)	Material Safety Data Sheets shall also be made readily available, upon request, to designated representatives and to the Assistant Secretary, in accordance with the requirements of 29 CFR 1910.1020(e). The Director shall also be given access to material safety data sheets in the same manner.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazardous Material Control and Management	9/21/2005	\$7,000
FISC, Code 400C, 937 No. Harbor Drive, San Diego, CA 92132	00245	7/28/2005	Planned	Serious	1910.178(g)(2)	Fuel handling and storage. Facilities shall be provided for flushing and neutralizing spilled electrolyte, for fire protection, for protecting charging apparatus from damage by trucks, and for adequate ventilation for dispersal of fumes from gassing batteries.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/22/2005	\$7,000
USN Region Northwest, 1400 Farrugut Ave., Bremerton, WA 98314	32416	9/21/2005	Complaint	Serious	1910.134(g)1(i)a	Respiratory protection. Tight-fitting facepieces are not allowable when facial hair comes between the sealing surface of the facepiece and the face or interferes with valve function.	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 15. Respiratory Protection	10/14/2005	\$7,000

NOTE:

The abatement date is established by the OSHA area office. The period of time to abate a hazard is the shortest interval that an employer can reasonably be expected to correct the violation.

The OSHA Act authorizes civil penalties be assessed for each alleged violation. Most Federal agencies are exempt from these fines.

Penalties are based on four factors: 1) the gravity of the violation: 2) the size of the business; 3) the good faith of the employer; 4) the employer's history of previous violations.