

OSHA CITATION TRACKING
Total Violations FY 2005

Installation	UIC	Open Date	Inspection Type	Violation Type	Standard Cited	Description	Abatement Date	NAVOSH Reference	Max Private Sector Penalty
Naval Base Recycling AT SUBASE, San Diego, CA 92106	63406	10/4/2004	Planned	Other	1910.23(c)(1)	Guarding floor openings. Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder.	10/28/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Fleet Industrial Supply Center Bldg. 50 San Diego, CA 92106	00245	10/4/2004	Planned	Other	1910.178.(l)(4)(iii)	Powered Industrial Trucks. An evaluation of each powered industrial truck operator's performance shall be conducted at least once every three years.	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Fleet Industrial Supply Center Bldg. 50 San Diego, CA 92106	00245	10/4/2004	Planned	Other	1910.179(j)(3)	Periodic inspection - cranes. Complete inspections of the crane shall be performed at intervals as generally defined in paragraph (j)(1)(ii)(b) of this section, depending upon its activity, severity of service, and environment, or as specifically indicate	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 31. Weight Handling Safety	\$7,000
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Serious	1910.212(a)(1)	Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks.	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Serious	1910.212(a)(3)(ii)	Guarding machinery. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards, in the absence of applicable specific standards shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Other	1910.178(l)(1)(i)	Powered Industrial Trucks - Training. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation specified in 1910.178(l).	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Other	1910.242(b)	Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.	12/1/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base, North Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.305(e)(1)	Electrical equipment. Cabinets, cutout boxes, fittings, boxes, and panelboard enclosures in damp or wet locations shall be installed so as to prevent moisture or water from entering and accumulating within the enclosures. In wet locations the enclosures shall be weatherproof.	12/6/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Naval Facilities Engineering Command, Great Lakes Naval Base, North Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(a)(1)	Deenergized parts. Live parts to which an employee may be exposed shall be deenergized before the employee works on or near them, unless the employer can demonstrate that deenergizing introduces additional or increased hazards or is infeasible due to equipment design or operational limitations. Live parts that operate at less than 50 volts to ground need not be deenergized if there will be no increased exposure to electrical burns or to explosion due to electric arcs.	12/6/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 24, Energy Control Program Lockout/Tagout	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base, North Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(a)(2)	Energized parts. If the exposed live parts are not deenergized (i.e., for reasons of increased or additional hazards or infeasibility), other safety-related work practices shall be used to protect employees who may be exposed to the electrical hazards.	12/6/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Facilities Engineering Command, Great Lakes Naval Base, North Chicago IL 60088	00275	10/26/2004	Complaint	Serious	1910.333(b)(2)	Lockout and tagging. While any employee is exposed to contact with parts of fixed electric equipment or circuits which have been deenergized, the circuits energizing the parts shall be locked out or tagged or both.	12/6/2004	OPNAVINST 5100.23G Chapter 24, Energy Control Program Lockout/Tagout	\$7,000
Naval Base Ventura County, Point Mugu, CA 93042	48114	11/2/2004	Planned	Serious	1910.23(c)(1)	Guarding openings and holes. Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard.	12/9/2004	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Public Work Center, Bldg 678, San Diego, San Diego, CA 92135	00245	12/9/2004	Planned	Serious	1926.100(a)	Head protection. Employees working in areas where there is a possible danger of head injury from impact, or from falling or flying objects, or from electrical shock and burns, shall be protected by protective helmets.	1/27/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 20. Personal Protective Equipment.	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Puget Sound Naval Shipyard, Bremerton, WA 98314	32416	12/21/2004	Related	Other	1915.501(d)(1)	Host employer responsibilities. The host employer's responsibilities are to inform all employers at the worksite about the content of the fire safety plan including hazards, controls, fire safety and health rules, and emergency procedures.	4/25/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Puget Sound Naval Shipyard, Bremerton, WA 98314	32416	12/21/2004	Related	Other	1915.502(a)	Employer responsibilities. The employer must develop and implement a written fire safety plan that covers all the actions that employers and employees must take to ensure employee safety in the event of a fire.	4/25/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL 32228	60201	1/5/2005	Planned	Serious	1960.8(a)	Agency responsibilities. The head of each agency shall furnish to each employee employment a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm.	4/19/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL 32228	60201	1/5/2005	Planned	Serious	1910.180(h)(4)(i)	Mobile cranes - holding the load. The operator shall not be permitted to leave his position at the controls while the load is suspended.	4/19/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 31. Weight Handling Safety	\$7,000
Naval Station, Pier Bravo 3, Mayport, FL 32228	60201	1/5/2005	Planned	Serious	1910.184(f)(5)(vii)	Slings. Removal from service. Wire rope slings shall be immediately removed from service when there is corrosion of the rope or end attachments.	4/19/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 31. Weight Handling Safety	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Fleet Industrial Supply Center, Bldg 773, Lemoore, CA 93246	44280	1/25/2005	Planned	Serious	1960.8(a)	Workplace hazards. The head of each agency shall furnish to each employee a place of employment free from recognized hazards that are causing or are likely to cause death or serious physical harm.	3/4/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1025(l)(1)(i)	Training program. Each employer who has a workplace in which there is a potential exposure to airborne lead at any level shall inform employees of the content of Appendices A and B of this regulation.	8/5/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards ; Chapter 21. Lead	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1027(m)(4)(i)	Information and training. The employer shall institute a training program for all employees who are potentially exposed to cadmium, assure employee participation in the program, and maintain a record of the contents of such program.	8/5/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(e)(1)	Written Hazard Communication Program. Employers shall develop, implement, and maintain at each workplace, a written hazard communication program which describes how the criteria for labels and other forms of warning, maintaining material safety data sheets, and employee information and training will be met.	8/5/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazard Material Control and Management	\$7,000
US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(g)(1)	Material Safety Data Sheets. Employers shall have a material safety data sheet in the workplace for each hazardous chemical which is used.	8/5/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazard Material Control and Management	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

US Dept. of Navy, Massey Ave, Echo Pier, Mayport, FL 32228	60201	1/31/2005	Complaint	Serious	1910.1200(h)(1)	Employee information and training. Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new physical or health hazard the employees have not previously been trained about is introduced into their work area. Information and training may be designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must always be available through labels and material safety data sheets.	8/5/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 6. Training; Chapter 7. Hazardous Material Control and Management	\$7,000
Naval Air Facility, El Centro- Bldg 507, Eight St, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(1)(ii)	Working space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment. Working space may not be used for storage. When normally enclosed live parts are exposed for inspection or servicing, the working space, if in a passageway or general open space, shall be suitably guarded.	4/22/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Air Facility, El Centro- Bldg 507, Eight St, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(2)(i)	Guarding of live parts. Live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by approved cabinets or other forms of approved enclosures.	4/22/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Air Facility Bldg 362, El Centro, CA 92243	46256	3/22/2005	Planned	Serious	1910.151(c)	Emergency shower. Where the eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use	4/28/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Naval Air Facility Bldg 362, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.157(c)(1)	Fire protection. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	5/2/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Air Facility Bldg 362, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.157(e)(2)	Portable fire extinguishers. Portable extinguishers or hose used in lieu thereof under paragraph (d)(3) of this section shall be visually inspected monthly.	5/2/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Air Facility Bldg 362, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(1)(ii)	Working space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.	5/2/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Naval Facilities Engineering Command, Pearl Harbor, HI 96860	62755	5/11/2005	Planned	Serious	1910.212(a)(3)(ii)	Machine guarding. The point of operation of machines whose operation exposes an employee to injury, shall be guarded. The guarding device shall be in conformity with any appropriate standards therefor, or, in the absence of applicable specific standards, shall be so designed and constructed as to prevent the operator from having any part of his body in the danger zone during the operating cycle.	8/30/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Naval Facilities Engineering Command, Pearl Harbor, HI 96860	62755	5/11/2005	Planned	Other	1910.178 (q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	7/18/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Pre-Planned	Serious	1910.303(b)(2)	Electrical. Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	6/6/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Pre-Planned	Serious	1910.101(b)	Compressed gases. The in-plant handling, storage, and utilization of all compressed gases in cylinders, portable tanks, rail tankcars, or motor vehicle cargo tanks shall be in accordance with Compressed Gas Association Pamphlet P-1-1965	5/31/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Pre-Planned	Other	1910.37(b)(2)	Exits. Each exit must be clearly visible and marked by a sign reading "Exit."	5/31/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1960.8(a)	Agency responsibilities. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm.	6/30/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1910.178(m)(6)	Powered Industrial Trucks. A safe distance shall be maintained from the edge of ramps or platforms while on any elevated dock, or platform or freight car. Trucks shall not be used for opening or closing freight doors.	8/12/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Serious	1910.243(c)(1)	Guarding of portable powered tools. General requirements. Abrasive wheels shall be used only on machine provided with safety guards as defined in paragraph (c) (1) through (4) of this section.	6/30/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Other	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	8/12/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards.	\$7,000
Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1960.8(a)	Agency responsibility. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm. Ethyl benzene, n-butyl alcohol, trimethylbenzene, xylene, methyl ethyl ketone.	1/3/2006	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazardous Material Control and Management	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1915.12(e)(1)(iii)	Confined spaces in shipyards - Shipyard rescue teams shall practice their skills at least once every 12 months. Practice drills shall include the use of mannequins and rescue equipment during simulated rescue operations involving physical facilities that approximate closely those facilities from which rescue may be needed.	1/3/2006	OPNAVINST 5100.19D, Navy Occupational Safety and Health (NAVOSH) Program Manual for Forces Afloat	\$7,000
Navy Submarine Base 990 USS Thomas Jefferson Dr. Kings Bay, GA 31547	42237	6/30/2005	Complaint	Serious	1960(8)(a)	Agency responsibility. The head of each agency shall furnish to each employee employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm. Heat Stress.	1/17/2006	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards.	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.141(a)(3)(ii)	Housekeeping. The floor of every workroom shall be maintained, so far as practicable, in a dry condition. Where wet processes are used, drainage shall be maintained and false floors, platforms, mats, or other dry standing places shall be provided, where practicable, or appropriate waterproof footwear shall be provided.	8/15/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(l)(1)(i)	Powered Industrial Trucks. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation.	9/12/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	9/12/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.178(l)(4)(iii)	Powered Industrial Trucks. An evaluation of each powered industrial truck operator's performance shall be conducted at least once every three years.	9/12/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.303(b)(2)	Electrical installation and use. Listed or labeled equipment shall be used or installed in accordance with any instructions included in the listing or labeling.	8/15/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.303(g)(2)(i)	Guarding of live parts. Except as required or permitted elsewhere in this subpart, live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by approved cabinets or other forms of approved enclosures, or by any of the following means:	8/28/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Navy Distribution Exchange Center, Bldg. CD1, 9222 Hampton, Blvd., Norfolk, VA 23511	62688	7/15/2005	Complaint	Serious	1910.305(g)(1)(iii)(a)	Use of flexible cords and cables. Unless specifically permitted in paragraph (g)(1)(i) of this section, flexible cords and cables may not be used as a substitute for the fixed wiring of a structure.	8/28/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

Dept. of Navy, (MWR), Pearl Harbor, Honolulu, HI 96818	62813	7/19/2005	Planned	Serious	1910.178(l)(1)(i)	Powered Industrial Trucks. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation.	9/20/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Dept. of Navy, (MWR), Pearl Harbor, Honolulu, HI 96818	61019	7/19/2005	Planned	Other	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	9/20/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.212(a)(1)	Types of guarding. One or more methods of machine guarding shall be provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks.	9/21/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(a)(4)	Work rests. On offhand grinding machines, work rests shall be used to support the work. They shall be of rigid construction and designed to be adjustable to compensate for wheel wear. Work rests shall be kept adjusted closely to the wheel with a maximum opening of one-eighth inch to prevent the work from being jammed between the wheel and the rest, which may cause wheel breakage. The work rest shall be securely clamped after each adjustment. The adjustment shall not be made with the wheel in motion.	8/30/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(b)(9)	Machine guards. Safety guards of the types described in Subparagraphs (3) and (4) of this paragraph, where the operator stands in front of the opening, shall be constructed so that the peripheral protecting member can be adjusted to the constantly decreasing diameter of the wheel. The maximum angular exposure above the horizontal plane of the wheel spindle as specified in paragraphs (b)(3) and (4) of this section shall never be exceeded, and the distance between the wheel periphery and the adjustable tongue or the end of the peripheral member at the top shall never exceed one-fourth inch.	9/21/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.215(d)(3)	Machine guards. All contact surfaces of wheels, blotters and flanges shall be flat and free of foreign matter.	9/21/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
NEX, Naval Air Station North Island, San Diego, CA 92135	00246	7/19/2005	Planned	Serious	1910.1200(g)(11)	Material Safety Data Sheets shall be made readily available in accordance with the requirements of 29 CFR 1910.1020(e).	9/21/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 7. Hazardous Material Control and Management	\$7,000
FISC, Code 400C, 937 No. Harbor Drive, San Diego, CA 92132	00245	7/28/2005	Planned	Serious	1910.178(g)(2)	Fuel handling and storage. Facilities shall be provided for flushing and neutralizing spilled electrolyte, for fire protection, for protecting charging apparatus from damage by trucks, and for adequate ventilation for dispersal of fumes from gassing batteries.	9/22/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000

OSHA CITATION TRACKING
Total Violations FY 2005

FISC, Code 400C, 937 No. Harbor Drive, San Diego, CA 92132	00245	7/28/2005	Planned	Other	1910.303(f)	Identification of disconnecting means and circuits. Each disconnecting means required by this subpart for motors and appliances shall be legibly marked to indicate its purpose, unless located and arranged so the purpose is evident. Each service, feeder, and branch circuit, at its disconnecting means or overcurrent device, shall be legibly marked to indicate its purpose, unless located and arranged so the purpose is evident. These markings shall be of sufficient durability to withstand the environment involved.	8/30/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	\$7,000
Puget Sound Naval Shipyards, Bremerton, WA 98314	32416	8/25/2005	Complaint	Other	1910.1025(d)(5)	Lead: Where a determination, conducted under paragraphs (d)(2) and (3) of this section is made that no employee is exposed to airborne concentrations of lead at or above the action level, the employer shall make a written record of such determination. The record shall include at least the information specified in paragraph (d)(3) of this section and shall also include the date of determination, location within the worksite, and the name and social security number of each employee monitored.	10/8/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards, Chapter 21. Lead	\$7,000
USN Region Northwest, 1400 Farrugut Ave., Bremerton, WA 98314	32416	9/21/2005	Complaint	Serious	1910.134(g)(1)(i)(A)	Respiratory protection. Tight-fitting facepieces are not allowable when facial hair comes between the sealing surface of the facepiece and the face or interferes with valve function.	10/14/2005	OPNAVINST 5100.23G Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 15. Respiratory Protection	\$7,000
The abatement date is established by the OSHA area office when the employer can reasonably be expected to correct the violation.									
The OSHA Act authorizes civil penalties be assessed for each alleged violation. Most Federal agencies are exempt from these fines. Penalties are based on four factors: 1) the gravity of the violation; 2) the size of the business; 3) the good faith of the employer; 4) the employer's history of previous violations.									
A serious violation is a condition in which there is substantial probability that death or serious physical harm could result.									