

OSHA Citations
Other-Than-Serious FY 2005

Installation	UIC	Open Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Max private sector penalty
Naval Base Recycling AT SUBASE, Bldg 379, San Diego, CA 92106	63406	10/4/2004	Planned	Other	1910.23(c)(1)	Guarding floor openings - Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	10/28/2004	\$7,000
Naval Fleet Industrial Supply Center Bldg. 50 San Diego, CA 92106	00245	10/4/2004	Planned	Other	1910.178(l)(4)(iii)	Powered industrial trucks - An evaluation of each powered industrial truck operator's performance shall be conducted at least once every three years.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/1/2004	\$7,000
Naval Fleet Industrial Supply Center Bldg. 50 San Diego, CA 92106	00245	10/4/2004	Planned	Other	1910.179(j)(3)	Periodic inspection - cranes. Complete inspections of the crane shall be performed at intervals as generally defined in paragraph (j)(1)(ii)(b) of this section, depending upon its activity, severity of service, and environment. Any deficiencies such as listed shall be carefully examined and determination made as to whether they constitute a safety hazard.	OPNAVINST 5100.23F Chapter 31. Weight Handling Safety	12/1/2004	\$7,000
Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Other	1910.178(l)(1)(i)	Powered Industrial Trucks - Training. The employer shall ensure that each powered industrial truck operator is competent to operate a powered industrial truck safely, as demonstrated by the successful completion of the training and evaluation.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/1/2004	\$7,000

OSHA Citations
Other-Than-Serious FY 2005

Public Works Center Bldg. A44 San Diego, CA 92152	62106	10/6/2004	Planned	Other	1910.242(b)	Compressed air used for cleaning. Compressed air shall not be used for cleaning purposes except where reduced to less than 30 p.s.i. and then only with effective chip guarding and personal protective equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	12/1/2004	\$7,000
Puget Sound Naval Shipyard, Bremerton, WA 98314	32416	12/21/2004	Related	Other	1915.501(d)(1)	Host employer responsibilities. The host employer's responsibilities are to inform all employers at the worksite about the content of the fire safety plan including hazards, controls, fire safety and health rules, and emergency procedures.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/25/2005	\$7,000
Puget Sound Naval Shipyard Bremerton, WA 98314	32416	12/21/2004	Related	Other	1915.502(a)	Employer responsibilities. The employer must develop and implement a written fire safety plan that covers all the actions that employers and employees must take to ensure employee safety in the event of a fire.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/25/2005	\$7,000
Naval Air Facility Bldg 507, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(1)(ii)	Working space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/19/2005	\$7,000
Naval Air Facility Bldg 507, El Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(2)(i)	Guarding of live parts. Except as required or permitted elsewhere in this subpart, live parts of electric equipment operating at 50 volts or more shall be guarded against accidental contact by approved cabinets or other forms of approved enclosures.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	4/19/2005	\$7,000

OSHA Citations
Other-Than-Serious FY 2005

Naval Air Facility Bldg 362, EI Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.157c(1)	Fire protection. The employer shall provide portable fire extinguishers and shall mount, locate and identify them so that they are readily accessible to employees without subjecting the employees to possible injury.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	5/2/2005	\$7,000
Naval Air Facility Bldg 362, EI Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.157(e)(2)	Portable extinguishers or hose used in lieu thereof shall be visually inspected monthly.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	5/2/2005	\$7,000
Naval Air Facility Bldg 362, EI Centro, CA 92243	46256	3/22/2005	Planned	Other	1910.303(g)(1)(ii)	Working space about electric equipment. Sufficient access and working space shall be provided and maintained about all electric equipment to permit ready and safe operation and maintenance of such equipment.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	5/2/2005	\$7,000
Naval Facilities Engineering Command, Pearl Harbor, HI 96860	62755	5/11/2005	Planned	Other	1910.178 (q)(7)	Powered industrial trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/18/2005	\$7,000

OSHA Citations
Other-Than-Serious FY 2005

Navy Smokey Point Com., Marysville, WA 98271	68967	5/24/2005	Planned	Other	1910.37(b)(2)	Each exit must be clearly visible and marked by a sign reading "Exit."	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	7/3/2005	\$7,000
Fleet Industrial Supply Center, 475 FISC, Pearl Harbor, HI 96860	00604	6/2/2005	Planned	Other	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards.	6/12/2005	\$7,000
Dept. of Navy, (MWR), Pearl Harbor, Honolulu, HI 96818	62813	7/19/2005	Planned	Other	1910.178(q)(7)	Powered Industrial Trucks. Industrial trucks shall be examined before being placed in service, and shall not be placed in service if the examination shows any condition adversely affecting the safety of the vehicle. Such examination shall be made at least daily. Where industrial trucks are used on a round-the-clock basis, they shall be examined after each shift. Defects when found shall be immediately reported and corrected.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	9/20/2005	\$7,000

OSHA Citations
Other-Than-Serious FY 2005

FISC, Code 400C, 937 No. Harbor Drive, San Diego, CA 92132	00245	7/28/2005	Planned	Other	1910.303(f)	Identification of disconnecting means and circuits. Each disconnecting means required by this subpart for motors and appliances shall be legibly marked to indicate its purpose, unless located and arranged so the purpose is evident. Each service, feeder, and branch circuit, at its disconnecting means or overcurrent device, shall be legibly marked to indicate its purpose, unless located and arranged so the purpose is evident. These markings shall be of sufficient durability to withstand the environment involved.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards	8/30/2005	\$7,000
Puget Sound Naval Shipyard, Bremerton, WA 98314	32416	8/25/2005	Complaint	Other	1910.1025(d)5	Lead: Where a determination is made that no employee is exposed to airborne concentrations of lead at or above the action level, the employer shall make a written record of such determination. The record shall include at least the information specified in paragraph (d)(3) of this section and shall also include the date of determination, location within the worksite, and the name of each employee monitored.	OPNAVINST 5100.23F Chapter 11. Inspections and Investigations of Workplaces by Federal and State OSH Officials; Chapter 5. Prevention and Control of Workplace Hazards, Chapter 21. Lead		\$7,000

Note:

The abatement date is established by the OSHA area office. The period of time to abate a hazard is the shortest interval that an employer can reasonably be expected to correct the violation.

The OSHA Act authorizes civil penalties be assessed for each alleged violation. Most Federal agencies are exempt from these fines.

Penalties are based on four factors: 1) the gravity of the violation; 2) the size of the business; 3) the good faith of the employer; 4) the employer's history of previous violations.